

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 1 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING		
1.1.	Product identifier	
II	Trade name:	KERAFIX P
	Chemical name:	Not applicable
	Synonyms:	Not applicable
	Catalogue number:	Not applicable
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Application:	It is used for gluing wall, floor and facade ceramic tiles in exterior and interior condition of exploitation. It is recommended for gluing stone and siporex as well. For detailed information, see product data sheet/label.
	Applications not recommended:	All other applications not listed on label or product data sheet.
	Reasons for non-application:	Bad product quality in the sense of processing, consistency, adhesion etc.
1.3.	Details of the supplier of the safety data sheet	
	Company name:	Colorit d.o.o.
	Address:	Blagoja Parovića 114b
	Telephone:	+387(0)51/388-830
	Fax:	+387(0)51/388-801
	e-mail address of the person liable for MSDS:	colorit@inecco.net
	Authorized person in RS:	Colorit d.o.o., Blagoja Parovića 114b, Banja Luka
1.4.	Emergency telephone number	
	Emergency telephone number:	121 (before 112 gets activated)
	Telephone number for medical information:	124 (0-24h)
	Other information:	+381 11 360 84 40 (Poison Control Center Military Medical Academy Belgrade, Serbia)
SECTION 2. HAZARD IDENTIFICATION		
2.1.	Classification of the substance or mixture	
2.1.1.	CLP/GHS system classification	
	Hazard class and category mark:	Warning on danger (H, EUH)*:
	Skin irrit. 2	H315
	Skin sens. 1	H317
	Eye dam. 1	H318
	STOT SE 3	H335
2.1.2.	DSD/DPD system classification	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 2 of 16


Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Danger sign:	Risk sign (R)*:
Xi	R37/38, R41, R43

2.1.3.	Additional information	Not applicable
--------	------------------------	----------------

*Full text R, H and EUH marks in Section 16.

2.2. Label elements

Labeling in line with:	CLP/GHS system <input checked="" type="checkbox"/>	DSD/DPD system <input type="checkbox"/>
Pictogram / hazard symbol:		
Signal word / danger sign and written warning:	Danger	
Hazard statements (H) / Risk sign (R):	H315 – Causes skin irritation. H317 – May cause an allergic skin reaction. H318 – Causes serious eye damage. H335 – May cause respiratory irritation.	
Precautionary statements (P) / Safety sign (S):	P102 – Keep out of reach of children P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340-IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER or doctor/physician. P333-P313-If skin irritation or rash occurs: Get medical advice/attention P501 – Dispose of contents /container in accordance with local/national/regional/international regulations	
Supplemental hazard information:	Not applicable	

2.3. Other hazards

Product reacts alkali in contact with water.

SECTION 3. COMPOSITION/ INFORMATION ON INGREDIENTS

3. Information on mixture ingredients

Name	CAS number / EC number / Index number	REACH registration number	mass or volume % or range	DSD system classification*	CLP/GHS system classification*
------	---	------------------------------	---------------------------------	----------------------------	-----------------------------------

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 3 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Quartz sand	Not applicable	Not applicable	45-55	Not classified	Not classified
Portland cement clinker	65997-15-1/ 266-043-4/ No information	Not applicable	26-32	Xi;	Skin irrit. 2, H315 Skin sens.. 1, H317 Eye dam. 1, H318 STOT SE 3, H335

* Full text R, H and EUH marks in Section 16.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

	General:	In contact with doctor, bring this Material Safety Data Sheet.
	After inhalation:	Take person out on fresh air. Clear throat, drink water in order to rinse throat, blow nose to remove dust. If symptoms persist, ask for medical help. In case of inhaling larger amount, ask for urgent medical help.
	After skin contact:	Remove contaminated clothes and footwear, rinse contaminated body parts with water for about 10-15 minutes. If symptoms persist, ask for medical help.
	After eye contact:	Do not scrub eyes to avoid eye damage. Wash hands, open eyelids using clean fingers and rinse each eye with warm water thoroughly for at least 15 minutes to clear all particles. If possible, wash with saline solution. Consult ophthalmologist.
	After swallowing:	Do not induce vomiting. If conscious, rinse mouth with water and spit. Ask immediate medical help.
	Personal protection of person providing first aid:	Not applicable

4.2. Most important symptoms and effects, both acute and delayed

	After inhalation:	Coughing, sneezing, chest pain, throat spasm and breathing difficulties may occur.
	After skin contacts:	Skin redness, prickle, itching and skin cracking. In case of longer contact or contact with wet product could cause extreme sensitiveness, dermatitis or burns in touch with wet skin.
	After ye contact:	Could cause redness, tearing, irritation, eye pain, blurred vision and unrecoverable eye damages.
	After swallowing:	Could cause nausea, vomiting, diarrhea and abdominal pain if swallowed in bigger amount.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing	Carbon-dioxide, extinguishing powder, foam or water spray. Use agents
------------------------	---

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 4 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

	agents:	depending on surrounding subjects caught by fire.
	Inappropriate extinguishing agents:	Not applicable
5.2. Special hazards arising from substances or mixtures		
	Dangerous combustion products:	Not applicable
5.3. Advice for firefighters		
	Use breathing mask in case of unknown combustion products occurrence.	
SECTION 6. ACCIDENTAL RELEASE MEASURES		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For people not trained for the accident:		
	Protective equipment:	Protective equipment as in Section 8.2.
	Accident prevention procedures:	Do not make dust. Prevent expansion into air, vacuum cleaning. Wet clearance, wet dust, sweep wet product and remove with shovel. Let it sit for 30-90 minutes and send for taking care of. In case of accident, ensure location; evacuate staff not included in sanitation.
	Emergency procedures:	Not applicable.
6.1.2. For people participating in accident response:		
	In case vacuum and wet cleaning are not possible, ensure that workers who are clearing the product wear protective equipment as in Section 8.	
6.2. Environmental precautions		
	Do not allow to enter sewerage, manholes and other water courses.	
6.3. Methods and materials for containment and cleaning up		
6.3.1.	For confinement:	No information available.
6.3.2.	For cleaning up:	Pursuant to Section 6.1.1.
6.3.3.	Other information:	Avoid inhalation and skin contact.
6.4. Reference to other sections		
	Contaminated material should be disposed pursuant to Section 13. Use personal protection equipment pursuant to Section 8.	
SECTION 7. HANDLING AND STORAGE		
7.1. Precautions for safe handling		
7.1.1. Protective measures		
	Recommendations for safe handling:	Pursuant to Section 8
	Fire prevention measures:	No information available.
	Aerosol and dust formation preventive	Do not sweep or brush. Vacuum cleaning to avoid

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 5 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

measures:	product dust.
Incompatible materials handling:	No information available.
Environment protective measures:	Keep bags firmly closed in horizontal position in waterproof, dry and rooms safe from contamination. Prevent disposal to water courses, sewage and manholes.

7.1.2.	General hygienic measures advice:	Do not eat, drink or smoke while using the product. Wash hands after work. Take off contaminated clothes and protective equipment before entering the room for eating. Keep working clothes separately from other clothes.
--------	-----------------------------------	--

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:	Dry, ventilated room protected from humidity.
Packaging materials:	Natron paper bag.
Requests for storage rooms and containers:	Protect from humidity. Keep bags firmly closed in horizontal position in waterproof, dry and rooms safe from contamination. Keep in ventilated room. Prevent dust creation.
Storage class:	Not relevant
Other information on storage conditions:	Recommended temperature 5-25°C. Ensure good ventilation.

7.3. Specific and use(s)

Recommendations:	No information available.
Special solutions for industrial sector:	No information available.

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. Control parameters:

Substance	CAS number	Exposure limiting value (ELV/KELV)		Biological limiting values
		ppm	mg/m ³	
Portland cement dust	65997-15-1	Not applicable	10(U)* 4(R)**	No information available.

*total dust

**respiratory dust

Substance:	No information available for substance in Section 3.
------------	--

EC no.:	Not applicable	CAS no.:	Not applicable	Not applicable
---------	----------------	----------	----------------	----------------

DNEL

Worker

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
---------------	---------------------	--------------------------	-----------------------	----------------------------

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 6 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Oral	Not applicable	Not applicable	Not applicable	
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	
Key physical parameters: melting point, flammability, corrosion:			Not applicable	
User				
Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	
Skin	Not applicable	Not applicable	Not applicable	
PNEC				
Environment segment		PNEC		
Fresh water		Not applicable		
Fresh water sediments		Not applicable		
Sea water		Not applicable		
Sea sediments		Not applicable		
Food chain		Not applicable		
Microorganisms in waste water treatment		Not applicable		
Land (agricultural)		Not applicable		
Air		Not applicable		
8.2.	Exposure controls			
8.2.1.	Appropriate technical control			
	Exposure control measures in identified application:	Avoid kneeling in the vicinity of wet product in application. If necessary, wear protective equipment as in Section 8. Do not smoke, drink or eat during work in order to avoid skin or mouth contact.		
	Structural measures for exposure prevention:	Pursuant to Section 7.		
	Organizational measures for exposure prevention:	As soon as the work is done, take off contaminated clothes and footwear, remove jewelry and watches and have a shower.		
	Technical measures for exposure prevention:	Pursuant to Section 7.		
8.2.2.	Personal protective equipment			
8.2.2.1	Eyes and face protection:	Protective goggles should that fit eyes/face well.		
8.2.2.2	Skin protection:			

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 7 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

	Hands protection:	Protective gloves made of alkali proof material.
	Protection of other body parts:	Protective long sleeve working clothes and appropriate closed footwear. Prevent wet product enter shoes.
8.2.2.3	Protection of breathing parts:	It is not necessary in case of appropriate ventilation. In case of insufficient ventilation or creation of dust, use protective filter half-mask for protection from particles.
8.2.2.4	Protection from thermal hazards:	Not applicable
8.2.3.	Environment exposure control	
	Preventive measures for substance/mixture exposure:	Pursuant to Section 6.
	Exposure control measures in identified application:	Pursuant to Section 6.
	Structural measures for exposure prevention:	Pursuant to Section 6.
	Organizational measures for exposure prevention:	Pursuant to Section 6.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties			
		Value	Method
	Form:	Solid (Powder)	Not applicable
	Color:	White	Not applicable
	Odor:	No odor	Not applicable
	Odor threshold:	No information available	Not applicable
	pH:	11.5-13.5 (mixed)	BDS EN ISO 787-9
	Melting point/Freezing point:	No information available	Not applicable
	Ignition boiling point and boiling range:	No information available	Not applicable
	Ignition point:	No information available	Not applicable
	Evaporation rate:	No information available	Not applicable
	Flammability (solid, gas):	No information available	Not applicable
	Upper/lower flammability or explosion limit:	No information available	Not applicable
	Vapor pressure:	No information	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 8 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

	available	Not applicable
Vapor density:	No information available	Not applicable
Relative density:	No information available	Not applicable
Pouring density:	No information available	Not applicable
Solubility:	No information available	
Partition coefficient: n-octanol /water (log Pow):	No information available	Not applicable
Self-ignition temperature:	No information available	Not applicable
Decomposition temperature:	No information available	Not applicable
Explosion features:	No information available	Not applicable

9.2.	Other information	
II	Sliding:	0.3mm BDS EN 1308:2009
	Definition of open time:	1.1 N/mm ² after 40min BDS EN 1346:2008

SECTION 10. STABILITY AND REACTIVITY

10.1.	Reactivity:	No information available
10.2.	Chemical stability:	Stabile under normal conditions.
10.3.	Possibility of hazardous reactions:	Not applicable
10.4.	Conditions to avoid:	Humidity in storage can cause worse quality of product.
10.5.	Incompatible materials:	Not applicable
10.6.	Hazardous decomposition products:	Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

11.1.	Information on toxicological effects				
	Acute toxicity: information for Portland cement				
Exposure way	Method	Organism	Dose LD ₅₀ /LC ₅₀	Exposure time	Result
Swallowing:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Skin contact:	Not applicable	Hare	2000 mg/kg	24h	No lethal effect
Inhaling:	Not	Not applicable	Not	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"
in line with Regulation (EC) no. 1907/2006

Page 9 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

	applicable		applicable			
Irritation and corrosion						
	Exposure time	Organism	Evaluation	Method	Note	
Skin irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Irritation	
Eye irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Severe eye damage	
Irritation of respiratory system		Yes				
Sensitization						
Inhalation:	Yes					
Skin contact:	Possible skin sensitization.					
CMR effects (carcinogenetic, mutagenic, reproductive toxicity)						
Carcinogenetic:		Not applicable				
Mutagenic <i>in-vitro</i> :		Not applicable				
Genotoxic:		Not applicable				
Mutagenic <i>in-vivo</i> :		Not applicable				
Mutagenic effect on sex cells:		Not applicable				
Reproductive organs toxicity:		Not applicable				
Toxicity in repeated dose (sub-acute, sub-chronic, chronic)						
	Dose	Exposure time	Organism	Method	Evaluation	Note
Sub-acute to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-acute inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"
in line with Regulation (EC) no. 1907/2006

Page 10 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Specific toxicity for organ target – single exposure (STOT SE):					
	Specific effects		Exposed organ		Note
Swallowing:	Not applicable		Not applicable	Not applicable	
Skin contact:	Possible skin irritation		Not applicable	Not applicable	
Inhalation:	Possible throat and respiratory tract irritation		Not applicable	Not applicable	
Specific toxicity for organ target – repeated exposure (STOT RE): * information for Portland cement clinker					
	Specific effects		Exposed organ		Note
Sub-acute to mouth	Not applicable		Not applicable	Not applicable	
Sub-acute on skin*	Possible contact dermatitis		Not applicable	Not applicable	
Sub-acute inhalation*	Possible chronic obstructive pulmonary disease (COPD)		Not applicable	Not applicable	
Sub-chronic to mouth	Not applicable		Not applicable	Not applicable	
Sub-chronic on skin*	Possible contact dermatitis		Not applicable	Not applicable	
Sub-chronic inhalation*	Possible chronic obstructive pulmonary disease (COPD)		Not applicable	Not applicable	
Chronic to mouth	Not applicable		Not applicable	Not applicable	
Chronic on skin*	Possible contact dermatitis		Not applicable	Not applicable	
Chronic inhalation*	Possible chronic obstructive pulmonary disease (COPD), asthma, pulmon. edema		Not applicable	Not applicable	
Aspiration hazards:		No danger since it is not used as aerosol			
Probable exposure ways:		Not applicable			
Symptoms referring to physical, chemical and toxic features					
Swallowing:		Not applicable			
Skin contact:		Not applicable			
Inhalation:		Not applicable			
Eye contact:		Not applicable			

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 11 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Delayed current effects, as well as chronic effects due to short and extended exposure:	Not applicable
Interaction effects:	Not applicable
Lack of certain information:	Not applicable
Information on mixture in the reference to its ingredients information:	Not applicable
Other information:	Not applicable

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Acute toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Product not hazardous for environment
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	
Other organisms			Not applicable	Not applicable	Not applicable	
Chronic toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Product not hazardous for environment
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	Product not hazardous for environment
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	Product not hazardous for environment
Other organisms			Not applicable	Not applicable	Not applicable	Product not hazardous for environment

12.2. Persistence and degradability

Abiotic degradability

	Half-degradability time	Method	Evaluation	Note
Sea water	Not applicable	Not applicable	Not applicable	Not relevant since this is inorganic material.
Fresh water	Not applicable	Not applicable	Not applicable	
Air	Not applicable	Not applicable	Not applicable	
Soil	Not applicable	Not applicable	Not applicable	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 12 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Physical and photo-chemical elimination							
Not relevant since this is inorganic material. After hardening, product does not have any toxic risk.							
Biodegradability: Inorganic material, not relevant.							
% degradation	Time (days)	Method		Evaluation		Note	
Not applicable	Not applicable	Not applicable		Not applicable		Not relevant since this is inorganic material.	
12.3. Bioaccumulative potential:							
Partition coefficient: n-octanol/water (log Pow)							
Value	Concentration	pH	°C	Method	Evaluation		Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		Not applicable
Bioconcentration factor (BCF)							
Value	Organism		Method		Evaluation		Note
Not applicable	Not applicable		Not applicable		Not applicable		Not applicable
Chronic eco-toxicity							
Value	Dose	Exposure time	Organism	Method	Evaluation	Note	
Chronic toxicity in fish	LC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Chronic toxicity in crabs (Daphnia)	EC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
12.4. Mobility in soil							
Known or anticipated partition in environment:							
Not relevant							
Surface pressure:							
Value	°C	Concentration		Method		Note	
Not applicable	Not applicable	Not applicable		Not applicable		Not applicable	
Adsorption/desorption							
Transport		A/D coefficient Henry's constant	log Pow	Evaporation		Method	Note
soil-water		Not applicable	Not applicable	Not applicable		Not applicable	Not applicable
Water-air		Not applicable	Not applicable	Not applicable		Not applicable	Not applicable
Soil-air		Not	Not	Not applicable		Not	Not

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 13 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

	applicable	applicabl e		applicable	applicable
12.5.	Results of PBT and vPvB assessment				
	Not relevant				
12.6.	Other adverse effects				
	Not applicable				

SECTION 13. DISPOSAL CONSIDERATIONS

13.1.	Waste treatment methods				
13.1.1.	Disposal of unused chemical/contaminated packaging:				
	Disposal should be in line with official local and national regulations.				
13.1.2.	Waste labeling according to waste catalogue:				
	Material residues: 17 09 04 (mixed waste from construction and demolition other than those listed in 17 09 01, 17 09 02 and 17 09 03) Packaging residues: 15 01 01 (paper and cardboard packaging)				
13.1.3.	Waste treatment forms:				
	Not applicable				
13.1.4.	Possibility of disposal to sewage:				
	Do not dispose to sewage, waste waters and water courses etc.				
13.1.5.	Other recommendations for disposal:				
	Disposal should be in line with official local and national regulations.				
13.1.6.	Regulations for waste management:				
	Law on waste management ("Official Gazette of the Republic of Srpska", number 111/13 and 106/15), Rulebook on waste categories, tests and classification ("Official Gazette of the Republic of Srpska", no. 19/15).				

SECTION 14. TRANSPORT INFORMATION

Road transport (ADR)	
UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Railway transport (RID)	
UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 14 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Special precautions for user:	Not applicable
Inland waterways transport (ADN)	
UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Seaways transport (IMDG)	
UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Transport in loose state (MARPOL73/78 and IBC code):	Not applicable
Airways transport (ICAO-TI/IATA-DGR)	
UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Special precautions for user:	Not applicable
Additional information:	Not applicable

SECTION 15. REGULATORY INFORMATION

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	Applicable regulations in the Republic of Srpska:	Law on chemicals (RS Off. Gaz. no. 25/09), Rulebook on classification, packaging and labeling of chemicals and certain products (RS Off. Gaz. no.50/10), Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, tests and classification (RS Off. Gaz. no. 19/15).
	Authorization and/or limitations in application	
	Authorizations:	Not applicable
	Limitations:	Not applicable
	Substance causing concern:	Product does not contain substances causing concern.

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 15 of 16

Trade name:	KERAFIX P	BTL.C.33.03
Product code:	Production date: March 28, 2017	Version no: 03

Other applicable regulations	Not applicable		
Information on emissions of volatile organic compounds (VOC):	Not applicable		
15.2. Chemical safety assessment	Chemical safety assessment not performed.		
SECTION 16. OTHER INFORMATION			
Changes report:	Changes in comparison to previous version.		
Abbreviations and acronyms:	Not applicable		
Basic literature and information sources:	Material Safety Data Sheet of raw materials, European Chemicals Agency, Report on product testing in certified laboratory		
Classification and procedures used for classification of mixture according to CLP/GHS system			
Classification according to CLP/GHS system		Classification procedure	
Skin irrit. 2 Skin sens. 1 Eye damage 1 STOT SE 3		Classification procedure pursuant to procedures described in the Rulebook on classification, packaging and labeling of chemicals and certain products (RS Off. Gaz. no.50/10)	
Relevant R, H, S and P signs (number and full text)			
R	37/38	Irritating to respiratory system and skin	
R	41	Risk of serious damage to eyes	
R	43	May cause sensitisation by skin contact	
H	315	Causes skin irritation	
H	317	May cause an allergic skin reaction.	
H	318	Causes serious eye damage	
H	335	May cause respiratory irritation	
P	102	Keep out of reach of children.	
P	280	Wear protective gloves/protective clothing/eye protection/face protection	
P	302+P352	IF ON SKIN: Wash with plenty of soap and water	
P	304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing	
P	305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing	
P	310	Immediately call a POISON CENTER or doctor/physician	
P	333+P313	If skin irritation or rash occurs: Get medical advice/attention	
P	501	Dispose of contents /container in accordance with local/ national/ regional/international regulations	
Advice for training:		Not applicable	
Additional information:		Information provided in this MSDS is a result of our best current knowledge. This	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 16 of 16

Trade name:	KERAFIX P			BTL.C.33.03
Product code:	Production date:	March 28, 2017	Version no:	03

	information should serve as guidance in application, use, storage, transport and disposal hence should not be considered as quality guarantee. Information refers to this product only and could not be used in combination with other materials and processes unless otherwise specified in the text. It is product user's responsibility to obey local legislative.
--	---