

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 1 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

<b>SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING</b>		
1.1.	Product identifier	
<b>II</b>	Trade name:	GLET C
	Chemical name:	Not applicable
	Synonyms:	Not applicable
	Catalogue number:	Not applicable
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Application:	It is used for fine flattening of internal walls. For detailed information, see product data sheet/label.
	Applications not recommended:	All other applications not listed on label or product data sheet.
	Reasons for non-application:	Unsatisfactory quality of used product (hardness, adhesion etc.)
1.3.	Details of the supplier of the safety data sheet	
	Company name:	Colorit d.o.o.
	Address:	Blagoja Parovića 114b
	Telephone:	+387(0)51/388-830
	Fax:	+387(0)51/388-801
	e-mail address of the person liable for MSDS:	colorit@inecco.net
	Authorized person in RS:	Colorit d.o.o., Blagoja Parovića 114b, Banja Luka
1.4.	Emergency telephone number	
	Emergency telephone number:	121 (before 112 gets activated)
	Telephone number for medical information:	124 (0-24h)
	Other information:	+381 11 360 84 40 (Poison Control Center Military Medical Academy Belgrade, Serbia)
<b>SECTION 2. HAZARDS IDENTIFICATION</b>		
2.1.	Classification of the substance or mixture	
2.1.1.	CLP/GHS system classification	
	Hazard class and category mark:	Warning on danger (H, EUH)*:
	Skin irrit. 2	H315
	Eye dam. 1	H318
	STOT SE 3	H335
2.1.2.	DSD/DPD system classification	
	Danger sign:	Risk sign (R)*:
	Xi	R37/38, R41

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006


Page 2 of 15

Trade name:	GLET C			BTL.C.38.01
Product code:	Production date:	March 3, 2015	Version no:	01

2.1.3.	Additional information
	Not applicable

\*Full text R, H and EUH marks in Section 16.

## 2.2. Label elements

Labeling in line with:	CLP/GHS system <input checked="" type="checkbox"/>	DSD/DPD system <input type="checkbox"/>
Pictogram / hazard symbol:		
Signal word / danger sign and written warning:	Danger	
Hazard statements (H) / Risk sign (R):	H315 – Causes skin irritation H318 – Causes serious eye damage H335 – May cause respiratory irritation	
Precautionary statements (P) / Safety sign (S):	P102 – Keep out of reach of children P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water P304+P340-IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310-Immediately call a POISON CENTER or doctor/physician P333-P313-If skin irritation or rash occurs: Get medical advice/attention P501 – Dispose of contents /container in accordance with local/national/regional/international regulations	
Supplemental hazard information:	Not applicable	

2.3.	Other hazards
	Not applicable

## SECTION 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.. Information on mixture ingredients

Name	CAS number / EC number / Index number	REACH registration number	mass or volume % or range	DSD system classification*	CLP/GHS system classification*
Natural milled calcium carbonate-calcite (CaCO <sub>3</sub> )	1317-65-3/ 215-279-6/ Not applicable	Excluded	75-85	Not classified hazardous	Not classified hazardous

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 3 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

Calcium-hydroxide	1305-62-0/ 215-137-2/ Not applicable	01-2119475151- 45-0431	5-15	Xi; R37/38,R41	Skin irrit. 2, H315 Eye dam. 1, H318 STOT SE 3, H335
-------------------	--	---------------------------	------	----------------	--

\* Full text R, H and EUH marks in Section 16.

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

General:	Ask for medical help in any case except for minor exposures.
After inhalation:	Take person out on fresh air. In case of breathing stoppage, apply CPR. Ask for medical help.
After skin contact:	Carefully and gently remove all material traces from skin. Rinse contaminated parts with warm water for 4-5 minutes. Ask for medical help.
After eye contact:	Carefully and gently remove all material traces from skin. Rinse contaminated parts with warm water for 4-5 minutes. Ask for medical help.
After swallowing:	If conscious, take 300 ml of water. Do not induce vomiting. Ask for medical help.
Personal protection of person providing first aid:	No special personal protection needed for person administering first aid.

### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation:	In case of dusting, coughing, aggravated breathing and choking occur.
After skin contacts:	Redness, burning and pain.
After ye contact:	Causes tearing, redness, pain and possible blurred or weakened vision.
After swallowing:	Not probable, but burning, pain, nausea, and vomiting if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Follow instructions in Section 4.1.

## SECTION 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing agents:	Carbon-dioxide, extinguishing powder, foam or water spray. Use agents depending on surrounding subjects caught by fire.
Inappropriate extinguishing agents:	No limitations

### 5.2. Special hazards arising from the substance or mixture

Dangerous combustion products:	Not known
--------------------------------	-----------

### 5.3. Advice for firefighters

Avoid dust creation. Use breathing device.  
Use equipment appropriate for protection depending on vicinity of chemicals or other fire conditions.

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 4 of 15

Trade name:	GLET C			BTL.C.38.01
Product code:	Production date:	March 3, 2015	Version no:	01

<b>SECTION 6. ACCIDENTAL RELEASE MEASURES</b>											
6.1.	Personal precautions, protective equipment and emergency procedures										
6.1.1.	For people not trained for the accident:										
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 5px;">Protective equipment:</td> <td style="padding: 5px;">Appropriate protective equipment (See Section 8)</td> </tr> <tr> <td style="padding: 5px;">Accident prevention procedures:</td> <td style="padding: 5px;">Avoid skin, eyes and clothes contact, as well as dust inhalation and swallowing.</td> </tr> <tr> <td style="padding: 5px;">Emergency procedures:</td> <td style="padding: 5px;">If bigger amounts of product are released, evacuate area.</td> </tr> </table>	Protective equipment:	Appropriate protective equipment (See Section 8)	Accident prevention procedures:	Avoid skin, eyes and clothes contact, as well as dust inhalation and swallowing.	Emergency procedures:	If bigger amounts of product are released, evacuate area.				
Protective equipment:	Appropriate protective equipment (See Section 8)										
Accident prevention procedures:	Avoid skin, eyes and clothes contact, as well as dust inhalation and swallowing.										
Emergency procedures:	If bigger amounts of product are released, evacuate area.										
6.1.2.	For people participating in accident response:										
	See Section 6.1.1.										
6.2.	Environmental precautions										
	Prevent expansion of the product to environment by covering it; do not allow entering sewerage or water system (increase of pH value). Product should be disposed in closed containers. Try to keep product dry as much as possible.										
6.3.	Methods and materials for containment and cleaning up										
6.3.1.	For confinement: Try to keep product dry as much as possible.										
6.3.2.	For cleaning up: Clean product by shovel or vacuum clean.										
6.3.3.	Other information: Product should be disposed in closed containers										
6.4.	Reference to other sections										
	Contaminated material should be disposed pursuant to Section 13. Use personal protection equipment pursuant to Section 8.										
<b>SECTION 7. HANDLING AND STORAGE</b>											
7.1.	Precautions for safe handling										
7.1.1.	Protective measures										
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 5px;">Recommendations for safe handling:</td> <td style="padding: 5px;">Avoid dust creation.</td> </tr> <tr> <td style="padding: 5px;">Fire prevention measures:</td> <td style="padding: 5px;">No special fire protection measures.</td> </tr> <tr> <td style="padding: 5px;">Aerosol and dust formation preventive measures:</td> <td style="padding: 5px;">Decrease dust creation and ventilate the room.</td> </tr> <tr> <td style="padding: 5px;">Incompatible materials handling:</td> <td style="padding: 5px;">Not applicable</td> </tr> <tr> <td style="padding: 5px;">Environment protective measures:</td> <td style="padding: 5px;">See Section 6.2.</td> </tr> </table>	Recommendations for safe handling:	Avoid dust creation.	Fire prevention measures:	No special fire protection measures.	Aerosol and dust formation preventive measures:	Decrease dust creation and ventilate the room.	Incompatible materials handling:	Not applicable	Environment protective measures:	See Section 6.2.
Recommendations for safe handling:	Avoid dust creation.										
Fire prevention measures:	No special fire protection measures.										
Aerosol and dust formation preventive measures:	Decrease dust creation and ventilate the room.										
Incompatible materials handling:	Not applicable										
Environment protective measures:	See Section 6.2.										
7.1.2.	General hygienic measures advice:										
	Do not inhalation, swallowing or skin contact. Change clothes and take a shower after work. Avoid eating, drinking and smoking while using the product.										
7.2.	Conditions for safe storage, including any incompatibilities										
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 5px;">Technical measures and storage conditions:</td> <td style="padding: 5px;">Storage in dry and closed room.</td> </tr> <tr> <td style="padding: 5px;">Packaging materials:</td> <td style="padding: 5px;">Natron paper bag</td> </tr> <tr> <td style="padding: 5px;">Requests for storage rooms and containers:</td> <td style="padding: 5px;">Ensure prevention from humidity.</td> </tr> </table>	Technical measures and storage conditions:	Storage in dry and closed room.	Packaging materials:	Natron paper bag	Requests for storage rooms and containers:	Ensure prevention from humidity.				
Technical measures and storage conditions:	Storage in dry and closed room.										
Packaging materials:	Natron paper bag										
Requests for storage rooms and containers:	Ensure prevention from humidity.										

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 5 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

Storage class:	Not applicable
Other information on storage conditions:	Recommended temperature 5-25°C.
<b>7.3. Specific end use(s)</b>	
Recommendations:	Not information available
Special solutions for industrial sector:	Not information available

### SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### 8.1. Control parameters:

Substance	CAS number	Exposure limiting value (ELV/KELV)		Biological limiting values
		ppm	mg/m <sup>3</sup>	
Calcium hydroxide	1305-62-0	1/-	4/-	Not applicable

Substance:	Calcium hydroxide			
EU no.:	215-137-3	CAS no.:	1305-62-0	Not applicable

#### DNEL

##### Worker

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable

Key physical parameters: melting point, flammability, corrosion: Not applicable

##### User

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable

#### PNEC

Environment segment	PNEC
Fresh water	Not applicable
Fresh water sediments	Not applicable
Sea water	Not applicable
Sea sediments	Not applicable
Food chain	Not applicable

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 6 of 15

Trade name:	GLET C			BTL.C.38.01
Product code:	Production date:	March 3, 2015	Version no:	01

Microorganisms in waste water treatment	Not applicable
Land (agricultural)	Not applicable
Air	Not applicable
<b>8.2.</b>	<b>Exposure controls</b>
<b>8.2.1.</b>	<b>Appropriate technical control</b>
Exposure control measures in identified application:	If dust is created in product application, use ventilated rooms in order to avoid situations where dust concentration would exceed limitation values of exposure.
Structural measures for exposure prevention:	Apply instructions in Section 7.
Organizational measures for exposure prevention:	Take off contaminated clothes and footwear as soon as work is done.
Technical measures for exposure prevention:	If dust is created in product application, use ventilated rooms in order to avoid situations where dust concentration would exceed limitation values of exposure.
<b>8.2.2.</b>	<b>Personal protective equipment</b>
8.2.2.1	Eyes and face protection: Protective goggles should that fit eyes/face well (BAS EN 166)
8.2.2.2	Skin protection:
	Hands protection: Protective gloves made of alkali proof material (BAS EN 374)
	Protection of other body parts: Protective long sleeve working clothes (BAS EN 340) and appropriate closed footwear (BAS EN 13832). Prevent wet product enter shoes.
8.2.2.3	Protection of breathing parts: It is not necessary in case of appropriate ventilation. In case of insufficient ventilation or creation of dust, use protective filter half-mask for protection from particles.
8.2.2.4	Protection from thermal hazards: Not applicable
<b>8.2.3.</b>	<b>Environment exposure control</b>
Preventive measures for substance/mixture exposure:	Pursuant to Section 6.
Exposure control measures in identified application:	Pursuant to Section 6.
Structural measures for exposure prevention:	Pursuant to Section 6.
Organizational measures for exposure prevention:	Pursuant to Section 6.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 7 of 15

Trade name:	GLET C			BTL.C.38.01
Product code:	Production date:	March 3, 2015	Version no:	01

9.1.	Information on basic physical and chemical properties			
		Value	Method	
	Form:	Solid	Not applicable	
	Color:	White	Not applicable	
	Odor:	Characteristic	Not applicable	
	Odor threshold:	Not applicable	Not applicable	
	pH:	Not applicable	Not applicable	
	Melting point/Freezing point:	Not applicable	Not applicable	
	Ignition boiling point and boiling range:	Not applicable	Not applicable	
	Ignition point:	Not applicable	Not applicable	
	Evaporation rate:	Not applicable	Not applicable	
	Flammability (solid, gas):	Not applicable	Not applicable	
	Upper/lower flammability or explosion limit:	Not applicable	Not applicable	
	Vapor pressure:	Not applicable	Not applicable	
	Vapor density:	Not applicable	Not applicable	
	Relative density:	Not applicable	Not applicable	
	Pouring density:	Not applicable	Not applicable	
	Solubility:	Not applicable	Not applicable	
	Partition coefficient: n-octanol /water (log Pow):	Not applicable	Not applicable	
	Self-ignition temperature:	Not applicable	Not applicable	
	Decomposition temperature:	Not applicable	Not applicable	
	Viscosity:	Not applicable	Not applicable	
	Explosion features:	Not applicable	Not applicable	
	Oxidizing features:	Not applicable	Not applicable	
9.2.	Other information			
	Burning residue:			
SECTION 10. STABILITY AND REACTIVITY				
10.1.	Reactivity:	Not applicable		
10.2.	Chemical stability:	Stabile under normal conditions. In case of contact with water, creates solid mass stabile in normal conditions.		
10.3.	Possibility of hazardous reactions:	Not applicable		
10.4.	Conditions to avoid:	Humidity in storage could cause product quality loss.		
10.5.	Incompatible materials:	Not applicable		

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"  
in line with Regulation (EC) no. 1907/2006

Page 8 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

10.6.	Hazardous decomposition products:	Not applicable				
<b>SECTION 11. TOXICOLOGICAL INFORMATION</b>						
11.1. Information on toxicological effects						
Acute toxicity: for lime						
Exposure way	Method	Organism	Dose LD <sub>50</sub> /LC <sub>50</sub>	Exposure time	Result	
Swallowing:	OECD 425	Rat	≥2000 mg/kg	Not applicable	Not applicable	
Skin contact:	OECD 402	Hare	≥2500 mg/kg	Not applicable	Not applicable	
Inhalation:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Irritation and corrosion						
	Exposure time	Organism	Evaluation	Method	Note	
Skin irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Eye irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Severe eye damage	
	Irritation of respiratory system	Yes				
Sensitization						
Inhalation:	Not applicable					
Skin contact:	Not applicable					
CMR effects (carcinogenetic, mutagenic, reproductive toxicity)						
Carcinogenetic:		No information available				
Mutagenic <i>in-vitro</i> :		No information available				
Genotoxic:		No information available				
Mutagenic <i>in-vivo</i> :		No information available				
Mutagenic effect on sex cells:		No information available				
Reproductive organs toxicity:		No information available				
Toxicity in repeated dose (sub-acute, sub-chronic, chronic)						
	Dose	Exposure time	Organism	Method	Evaluation	Note
Sub-acute to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic to mouth	Not	Not	Not applicable	Not	Not applicable	Not applicable



## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"  
in line with Regulation (EC) no. 1907/2006

Page 9 of 15

Trade name:	GLET C			BTL.C.38.01
Product code:	Production date:	March 3, 2015	Version no:	01

	applicable	applicable		applicable		
Sub-chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### Specific toxicity for organ target – single exposure (STOT SE):

	Specific effects	Exposed organ	Note
Swallowing:	Not applicable	Not applicable	Not applicable
Skin contact:	Not applicable	Not applicable	Not applicable
Inhalation:	Not applicable	Not applicable	Not applicable

### Specific toxicity for organ target – repeated exposure (STOT RE):

	Specific effects	Exposed organ	Note
Sub-acute to mouth	Not applicable	Not applicable	Not applicable
Sub-acute on skin	Not applicable	Not applicable	Not applicable
Sub-acute inhalation	Not applicable	Not applicable	Not applicable
Sub-chronic to mouth	Not applicable	Not applicable	Not applicable
Sub-chronic on skin	Not applicable	Not applicable	Not applicable
Sub-chronic inhalation	Not applicable	Not applicable	Not applicable
Chronic to mouth	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 10 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

	applicable	
Aspiration hazards:	Not applicable	
Probable exposure ways:	Not applicable	
Symptoms referring to physical, chemical and toxic features		
Swallowing:	Not applicable	
Skin contact:	Not applicable	
Inhalation:	Not applicable	
Eye contact:	Not applicable	
Delayed current effects, as well as chronic effects due to short and extended exposure:	Not applicable	
Interaction effects:	Not applicable	
Lack of certain information:	Not applicable	
Information on mixture in the reference to its ingredients information:	Not applicable	
Other information:	Not applicable	

### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity: for lime

Acute toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Freshwater fish Sea fish	Not applicable	50.6 mg/L 457 mg/L	Not applicable
Crabs (Daphnia)	EC <sub>50</sub>	48 hours	Freshwater daphnia	Not applicable	49.1 mg/L	Not applicable
Algae/water plants	IC <sub>50</sub>	72 hours	Not applicable	Not applicable	Not applicable	Not applicable
Other organisms	Not applicable		Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Freshwater fish Sea fish	Not applicable	50.6 mg/L 457 mg/L	Not applicable
Crabs (Daphnia)	EC <sub>50</sub>	48 hours	Freshwater daphnia	Not applicable	49.1 mg/L	Not applicable
Algae/water plants	IC <sub>50</sub>	72 hours	Not applicable	Not applicable	Not applicable	Not applicable

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"  
in line with Regulation (EC) no. 1907/2006

Page 11 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
12.2. Persistence and degradability						
Abiotic degradability						
	Half-degradability time	Method	Evaluation	Note		
Sea water	Not applicable	Not applicable	Not applicable	Not applicable		
Fresh water	Not applicable	Not applicable	Not applicable	Not applicable		
Air	Not applicable	Not applicable	Not applicable	Not applicable		
Soil	Not applicable	Not applicable	Not applicable	Not applicable		
Physical and photo-chemical elimination						
Not applicable						
Biodegradability						
% degradation	Time (days)	Method	Evaluation	Note		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
12.3. Bioaccumulative potential						
Partition coefficient: n-octanol/water (log Pow)						
Value	Concentration	pH	°C	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Bioconcentration factor (BCF)						
Value	Organism	Method	Evaluation	Note		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Chronic eco-toxicity						
Value	Dose	Exposure time	Organism	Method	Evaluation	Note
Chronic toxicity in fish	LC <sub>50</sub>	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity in crabs (Daphnia)	EC <sub>50</sub>	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.4. Mobility in soil						
Known or anticipated partition in environment:						
No information available						
Surface pressure:						
Value	°C	Concentration	Method	Note		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"  
in line with Regulation (EC) no. 1907/2006

Page 12 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

Adsorption/desorption					
Transport	A/D coefficient Henry's constant	log Pow	Evaporation	Method	Note
soil-water	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Water-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Soil-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

12.5.	Results of PBT and vPvB assessment
	This product does not contain substances considered to be very persistent or Bioaccumulative.
12.6.	Other adverse effects
	Product is not environment hazardous.

### SECTION 13. DISPOSAL CONSIDERATIONS

13.1.	Waste treatment methods
13.1.1.	Disposal of unused chemical/contaminated packaging: Dispose as construction waste in line with official local and national regulations. Inform authorized person.
13.1.2.	Waste labeling according to waste catalogue: Material residues: 17 09 04 (mixed waste from construction and demolition other than those listed in 17 09 01, 17 09 02 and 17 09 03) Packaging residues: 15 01 01 (paper and cardboard packaging)
13.1.3.	Waste treatment forms: Not applicable
13.1.4.	Possibility of disposal to sewage: Do not dispose to sewage system.
13.1.5.	Other recommendations for disposal: Not applicable
13.1.6.	Regulations for waste management: Law on waste management ("Official Gazette of the Republic of Srpska", number 111/13 i 106/15), Rulebook on waste categories, tests and classification ("Official Gazette of the Republic of Srpska", no. 19/15).

### SECTION 14. TRANSPORT INFORMATION

Road transport (ADR)	
UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 13 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable

### Railway transport (RID)

UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable

### Inland waterways transport (ADN)

UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable

### Seaways transport (IMDG)

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Transport in loose state (MARPOL73/78 and IBC code):	Not applicable

### Airways transport (ICAO-TI/IATA-DGR)

UN number:	Goods not hazardous based on this description
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Special precautions for user:	Not applicable

Additional information: Not applicable

## SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations in the Republic of	Law on chemicals (RS Off. Gaz. no. 25/09), Rulebook on
---	--

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 14 of 15

Trade name:	GLET C	BTL.C.38.01
Product code:	Production date: March 3, 2015	Version no: 01

	Srpska:	classification, packaging and labeling of chemicals and certain products (RS Off. Gaz. no.50/10), Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, tests and classification (RS Off. Gaz. no. 19/15).
	Authorization and/or limitations in application	
	Authorizations:	Not applicable
	Limitations:	Not applicable
	Substance causing concern:	Product does not contain substances causing concern.
	Other applicable regulations	Not applicable
	Information on emissions of volatile organic compounds (VOC):	Not applicable
15.2.	Chemical safety assessment	Chemical safety assessment not performed.
<b>SECTION 16. OTHER INFORMATION</b>		
	Changes report:	Not applicable
	Abbreviations and acronyms:	Not applicable
	Basic literature and information sources:	Material Safety Data Sheet of raw materials, European Chemicals Agency, Report on product testing in certified laboratory
Classification and procedures used for classification of mixture according to CLP/GHS system		
Classification according to CLP/GHS system		Classification procedure
	Skin irrit. 2 Eye dam. 1 STOT SE 3	Classification procedure pursuant to procedures described in the Rulebook on classification, packaging and labeling of chemicals and certain products (RS Off. Gaz. no.50/10)
Relevant R, H, S and P signs (number and full text)		
	H 314	Causes severe skin burns and eye damage.
	H 318	Causes serious eye damage
	H 335	May cause respiratory irritation
	R 37/38	Irritating to respiratory system and skin
	R 41	Risk of serious damage to eyes
	P 102	Keep out of reach of children.
	P 280	Wear protective gloves/protective clothing/eye protection/face protection
	P 302+P352	IF ON SKIN: Wash with plenty of soap and water
	P 304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
	P 305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)  
in line with Regulation (EC) no. 1907/2006

Page 15 of 15

Trade name:	GLET C			BTL.C.38.01
Product code:	Production date:	March 3, 2015	Version no:	01

P	310	Immediately call a POISON CENTER or doctor/physician
P	333+P313	If skin irritation or rash occurs: Get medical advice/attention
P	501	Dispose of contents /container in accordance with local/ national/ regional/international regulations
Advice for training:		Not applicable
Additional information:		Information provided in this MSDS is a result of our best current knowledge. This information should serve as guidance in application, use, storage, transport and disposal hence should not be considered as quality guarantee. Information refers to this product only and could not be used in combination with other materials and processes unless otherwise specified in the text. It is product user's responsibility to obey local legislative.